## Material Safety Data Sheet



3 Page: 1 of

Risk Phrase

Infosafe No™ 2RL2B Issue Date : September 2016 ISSUED by RLAPOLYM

Product Name GS200 GREEN SOLUTIONS PREMIUM MULTIPURPOSE VINYL ADHESIVE

Not classified as hazardous

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

GS200 GREEN SOLUTIONS PREMIUM MULTIPURPOSE VINYL ADHESIVE **Product Name** 

GS200 **Product Code** 

For securing a range of vinyl floor coverings. **Product Use** 

RLA POLYMERS PTY. LTD. (ABN 004 709 915) Company Name

215 COLCHESTER ROAD KILSYTH Address

VIC. 3137 Australia

**Emergency Tel.** AH 13 15 18

Tel: (03) 9728 1644 **Telephone** Fax: (03) 9728 6009 Number/Fax

This MSDS summarises to the best of our knowledge the health and safety hazard Other Information

information of the product and how to safely handle and use the product in the

workplace.

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Liquid Chemical

Characterization

Information on

Modified acrylic co-polymer emulsion.

Composition

**Ingredients** Name CAS Proportion

> Non Hazardous Proprietary 90-100 %

ingredients

#### 3. HAZARDS IDENTIFICATION

Not classified as hazardous according to NOHSC (National Occupational Health &

Hazard Symbol

Safety Commission).

Chronic Effects Not applicable.

Practically non-harmful by inhalation. Possible allergic reactions. May Inhalation

cause irritation to the nose and throat. Not normally an inhalation risk due

to low vapour pressure at ambient temperatures.

Ingestion Practically non-harmful. May cause gastric irritation.

Repeated or prolonged skin contact may lead to irritation. Skin

A mild eye irritant. May cause watering of eyes. Eye

## 4. FIRST AID MEASURES

Remove victim from exposure - avoid becoming a casualty. Recovery should be Inhalation

rapid after removal from exposure. Seek medical advice if effects persist. Do not induce vomiting. Rinse mouth thoroughly with water immediately. Ingestion

plenty of water to drink. Seek immediate medical assistance.

Wash affected areas with copious quantities of water immediately. Skin

irritation occurs seek medical advice. Remove contaminated clothing and wash

before re-use.

Immediately irrigate with copious quantity of water for at least 15 minutes. Eve

Eyelids to be held open. Seek medical advice if effects persist.

**Advice to Doctor** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

Use CO2, dry chemical or foam. Fire fighters to wear self-contained breathing Specific Methods

apparatus if risk of exposure to products of decomposition.

**Specific Hazards** Low hazard

Product residue, following evaporation of liquid content will burn in the Hazardous

presence of an ignition source. Combustion

**Products** 

Not applicable. Flash Point Ignition Temperature Not applicable.

Print Date: 5/09/2016 CS: 1.7.2

# Material Safety Data Sheet



Page: 2 of 3

Infosafe No™ 2RL2B Issue Date : September 2016 ISSUED by RLAPOLYM

Product Name GS200 GREEN SOLUTIONS PREMIUM MULTIPURPOSE VINYL ADHESIVE

Not classified as hazardous

Flammable Limits

Not applicable.

UEL

Flammable Limits Not applicable.

LEL

Non flammable. Product residue, following evaporation of liquid content will Flammability

burn in the presence of an ignition source.

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal Contain - prevent contamination of drains and waterways. Use absorbent (soil

or sand, sawdust, inert material, vermiculite). Clean up using a shovel.

Dispose of in normal industrial waste bin.

7. HANDLING AND STORAGE

Storage Store in a cool, dry place. No special precautions required. Store in

> original containers. Ensure containers are clearly labelled. Transport in

original containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Other Exposure Information

Product contains small quantities of acrylate monomers which may cause some discomfort in confined spaces or other poorly-ventilated areas during handling

and use.

Wearing of the following personal protective equipment may be advisable. **Body Protection** 

Overalls or similar protective apparel. Chemically resistant gloves. Boots. Always work in a well ventilated area. Avoid skin and eye contact.

Use with adequate ventilation. Local exhaust ventilation system may be **Eng. Controls** 

required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Cream coloured viscous liquid. Appearance

**Melting Point** Not applicable.

**Boiling Point** Initial boiling point: Approx. 100 Degs.C.

Solubility in Water Miscible

**Specific Gravity** 

Approx. 1.20

(H2O=1)

Approx. 9.0 pH Value Vapour Pressure Not available. Viscous liquid. **Physical State** 

Viscosity Approx. 65,000 cps.

Colour Cream.

**Flash Point** Not applicable.

Non flammable. Product residue, following evaporation of liquid content will Flammability

burn in the presence of an ignition source.

Not applicable. **Ignition Temperature** 

Flammable Limits Not applicable.

LEL

Flammable Limits Not applicable.

UEL

VOC (Volatile Organic Compound) content: < 50 grams/litre **Other Information** 

## 10. STABILITY AND REACTIVITY

Stable under normal handling and storage conditions.

## 11. TOXICOLOGICAL INFORMATION

Practically non-harmful by inhalation. Possible allergic reactions. Inhalation

cause irritation to the nose and throat. Not normally an inhalation risk due

to low vapour pressure at ambient temperatures.

Print Date: 5/09/2016 CS: 1.7.2

# Material Safety Data Sheet



Page: 3 of 3

Infosafe No™ 2RL2B Issue Date : September 2016 ISSUED by RLAPOLYM

Product Name GS200 GREEN SOLUTIONS PREMIUM MULTIPURPOSE VINYL ADHESIVE

Not classified as hazardous

Practically non-harmful. May cause gastric irritation. Ingestion Repeated or prolonged skin contact may lead to irritation. Skin

A mild eye irritant. May cause watering of eyes. Eye

Not applicable. **Chronic Effects** 

#### 12. ECOLOGICAL INFORMATION

Information on **Ecological Effects**  Avoid contaminating waterways.

## 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

#### 14. TRANSPORT INFORMATION

Not regulated by IATA.

## 15. REGULATORY INFORMATION

Not Scheduled **Poisons Schedule** 

#### 16. OTHER INFORMATION

Contact Person/Point In Australia: RLA Polymers Pty Ltd. - Group Operations Manager: 03 9728 1644

(Business Hours)

For emergency information outside normal business hours, please ring:

SECURITY MONITORING 1300 136102

They will contact the relevant personnel.

The information herein is given in good faith, but subject to the Trade

Practices Act 1974, no warranty, expressed or implied, is made.

RL207

**Last Change** Last revised: 5/9/2016

Not Scheduled Poisons Schedule

...End Of MSDS...

© copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 5/09/2016 CS: 1.7.2